







NOTE

1. 端子テール部およびネイルの平坦度: 0.1mm MAX
TAIL AND NAIL COPLANARITY TO BE 0.1mm MAX
- △₂ (極数/2) = 偶数 に適用
APPLY FOR (CIRCUIT SIZE/2) = EVEN.
- △₃ 関連製品・書類はSHEET5を参照ください
REFER TO SHEET 5 ABOUT RELATED PRODUCTS AND DOCUMENTS.



- △₄ オーダー番号(製品番号): SHEET 6の製品一覧を参照ください
ORDER No. (PRODUCT No.) : REFER TO SHEET 6 FOR PRODUCT LIST.

213227

* * * *

シリーズ番号
SERIES NO

極数
CIRCUIT SIZE

色
COLOR


金めっき厚
GOLD PLATING THICKNESS

CIRCUIT	No.	GOLD THK [micro-meter]	No.	COLOR
08 ~ 34	1	0.1	0	ナチュラル NATURAL
	3	0.38	1	黒 BLACK
	7	0.76		


5	28.0	±0.25	24.0	29.8	34
	26.5		22.5	28.3	32
	25.0		21.0	26.8	30
4	23.5		19.5	25.3	28
	22.0		18.0	23.8	26
	20.5		16.5	22.3	24
	19.0		15.0	20.8	22
	17.5		13.5	19.3	20
	16.0		12.0	17.8	18
	14.5		10.5	16.3	16
	13.0	9.0	14.8	14	
3	11.5	7.5	13.3	12	
	10.0	6.0	11.8	10	
	8.5	±0.2	4.5	10.3	8
D	C		B	A	極数 CKT NO

番号 NO	部品 PART	材質 MATERIAL	
①	ハウジング HOUSING	ポリアミド(PA) UL94V-0 色 : SEE CHART POLYAMIDE(PA) UL94V-0 COLOR : SEE CHART	
② ③	ターミナル TERMINAL	銅合金 COPPER ALLOY	
		コンタクト部 CONTACT AREA	金めっき : 製品一覧参照 GOLD PLATING : SEE PRODUCT LIST
		テール部 TAIL AREA	無光沢錫めっき : 1.0 micro-meter MIN MATTE TIN PLATING : 1.0 micro-meter MIN
		下地めっき(全面) UNDER PLATING (WHOLE SURFACE)	ニッケルめっき : 2.0 micro-meters MIN NICKEL PLATING : 2.0 micro-meters MIN
④	ネイル NAIL	黄銅 BRASS	
		無光沢錫めっき : 1.0 micro-meter MIN MATTE TIN PLATING	
		ニッケルめっき(下地) : 1.0 micro-meter MIN NICKEL PLATING (UNDER PLATING)	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING PRODUCT CUSTOMER DRAWING	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± 3.0 °									
4 PLACES		± 0.2		EC NO: 645965		2020/09/09			
3 PLACES		± 0.2		DRWN: HHUSSIN		2020/09/25			
2 PLACES		± 0.2		CHK'D: SAKIYAMA		2020/09/28			
1 PLACE		± 0.2		APPR: KOMURAKAMI					
0 PLACES		± 0.2		INITIAL REVISION:					
				DRWN: MIKEDA01		2019/10/01			
				APPR: KOMURAKAMI		2019/11/20			
DRAWING THAT APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		213227	
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				SEE CHART		GENERAL		1 OF 6	





基板パターンレイアウト(参考)
RECCOMENDED PCB PATTERN LAYOUT (REF.)
(参考 : メタルマスク厚さ 0.10mm, マスク開口率100%)
(REFERENCE: METAL MASK THICKNESS 0.10MM, APERTURE RATIO 100%)









パターン非推奨エリア
パターンを引き回す際は、製品機能に影響がないことをご確認ください。
PATTERN IS NOT RECCOMENDED ON THE HATCHED AREA.
PLEASE CHECK NOT TO HAVE PROBLEM FOR PRODUCT FUNCTION
WHEN SETTING PATTERN ON THE HATCHED AREA.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 645965 DRWN: HHUSSIN 2020/09/09 CHK'D: SAKIYAMA 2020/09/25 APPR: KOMURAKAMI 2020/09/28				CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING							
ANGULAR TOL ± 3.0 °								PRODUCT CUSTOMER DRAWING							
4 PLACES		± 0.2						DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
3 PLACES		± 0.2						2132270000-SD		PSD		000		C	
2 PLACES		± 0.2													
1 PLACE		± 0.2													
0 PLACES		± 0.2						INITIAL REVISION: DRWN: MIKEDA01 2019/10/01 APPR: KOMURAKAMI 2019/11/20							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		213227		SEE CHART		GENERAL		2 OF 6	



嵌合相手 : 503149シリーズ
MATE WITH: 503149 SERIES

嵌合図
MATED CONNECTORS





8-10極
8-10 CKT

12-18極
12-18 CKT

20-28極
20-28 CKT

30-34極
30-34 CKT



極数別ハウジング形状
HOUSING SHAPE OF EACH CKTS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED			molex						
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL		± 3.0 °											
4 PLACES		± 0.2					EC NO: 645965			2020/09/09			
3 PLACES		± 0.2		DRWN: HHUSSIN			2020/09/25						
2 PLACES		± 0.2		CHK'D: SAKIYAMA			2020/09/28						
1 PLACE		± 0.2		APPR: KOMURAKAMI			2020/09/28						
0 PLACES		± 0.2		INITIAL REVISION:			DOCUMENT NUMBER						
				DRWN: MIKEDA01			2132270000-SD						
				APPR: KOMURAKAMI			2020/09/10/01						
				2020/11/120			DOC TYPE						
							PSD						
							DOC PART						
							000						
							REVISION						
							C						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER			
						A3-SIZE		213227		SEE CHART		CUSTOMER	
										GENERAL		SHEET NUMBER	
												3 OF 6	

F

F

E

E

D

D

C

C

B

B

A

A

△₃ 適用製品及び各種仕様書 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS

梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER	DOCUMENT NUMBER
	213227 ****	2132279200-SPK

適用嵌合相手 MATE WITH	HOUSING	TERMINAL (GOLD PLATING)		
		PLATING THK	#24-28	#28-30
製品番号 PRODUCT NUMBER	503149 ****	0.1 micro-meters	213028 1*00	213029 1*00
		0.38 micro-meters	213028 3*00	213029 3*00
		0.76 micro-meters	213028 7*00	213029 7*00
製品仕様書 PRODUCT SPECIFICATION	5031490002-PS/PS/000			
アプリケーション仕様書 APPLICATION SPECIFICATION	AS-503149-001			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED			molex			
mm		NTS					CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING			
GENERAL TOLERANCES (UNLESS SPECIFIED)										
ANGULAR TOL ± 3.0 °							PRODUCT CUSTOMER DRAWING			
4 PLACES		± 0.2								
3 PLACES		± 0.2					DOCUMENT NUMBER 2132270000-SD DOC TYPE PSD DOC PART 000 REVISION C			
2 PLACES		± 0.2								
1 PLACE		± 0.2								
0 PLACES		± 0.2								
EC NO: 645965 DRWN: HHUSSIN CHK'D: SAKIYAMA APPR: KOMURAKAMI				2020/09/09 2020/09/25 2020/09/28						
INITIAL REVISION: DRWN: MIKEDA01 APPR: KOMURAKAMI				2019/10/01 2019/11/20						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 		DRAWING A3-SIZE	SERIES 213227	MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL		SHEET NUMBER 5 OF 6

DOCUMENT STATUS	P1	RELEASE DATE	2020/09/28	04:48:51
-----------------	----	--------------	------------	----------

10	9	8	7	6	5	4	3	2	1																																																																																															
△4 製品一覧 PRODUCTS LIST																																																																																																								
<table><tr><th>黒 BLACK</th><th>ナチュラル NATURAL</th><th colspan="2">HOUSING COLOR</th></tr><tr><td>213227 3411</td><td>213227 3410</td><td>34</td><td rowspan="14">213227 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)</td></tr><tr><td>213227 3211</td><td>213227 3210</td><td>32</td></tr><tr><td>213227 3011</td><td>213227 3010</td><td>30</td></tr><tr><td>213227 2811</td><td>213227 2810</td><td>28</td></tr><tr><td>213227 2611</td><td>213227 2610</td><td>26</td></tr><tr><td>213227 2411</td><td>213227 2410</td><td>24</td></tr><tr><td>213227 2211</td><td>213227 2210</td><td>22</td></tr><tr><td>213227 2011</td><td>213227 2010</td><td>20</td></tr><tr><td>213227 1811</td><td>213227 1810</td><td>18</td></tr><tr><td>213227 1611</td><td>213227 1610</td><td>16</td></tr><tr><td>213227 1411</td><td>213227 1410</td><td>14</td></tr><tr><td>213227 1211</td><td>213227 1210</td><td>12</td></tr><tr><td>213227 1011</td><td>213227 1010</td><td>10</td></tr><tr><td>213227 0811</td><td>213227 0810</td><td>8</td></tr><tr><td colspan="2">オーダー番号 ORDER No</td><td>極数 CKT</td><td>MODEL NO</td></tr></table>										黒 BLACK	ナチュラル NATURAL	HOUSING COLOR		213227 3411	213227 3410	34	213227 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)	213227 3211	213227 3210	32	213227 3011	213227 3010	30	213227 2811	213227 2810	28	213227 2611	213227 2610	26	213227 2411	213227 2410	24	213227 2211	213227 2210	22	213227 2011	213227 2010	20	213227 1811	213227 1810	18	213227 1611	213227 1610	16	213227 1411	213227 1410	14	213227 1211	213227 1210	12	213227 1011	213227 1010	10	213227 0811	213227 0810	8	オーダー番号 ORDER No		極数 CKT	MODEL NO																																												
黒 BLACK	ナチュラル NATURAL	HOUSING COLOR																																																																																																						
213227 3411	213227 3410	34	213227 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)																																																																																																					
213227 3211	213227 3210	32																																																																																																						
213227 3011	213227 3010	30																																																																																																						
213227 2811	213227 2810	28																																																																																																						
213227 2611	213227 2610	26																																																																																																						
213227 2411	213227 2410	24																																																																																																						
213227 2211	213227 2210	22																																																																																																						
213227 2011	213227 2010	20																																																																																																						
213227 1811	213227 1810	18																																																																																																						
213227 1611	213227 1610	16																																																																																																						
213227 1411	213227 1410	14																																																																																																						
213227 1211	213227 1210	12																																																																																																						
213227 1011	213227 1010	10																																																																																																						
213227 0811	213227 0810	8																																																																																																						
オーダー番号 ORDER No		極数 CKT	MODEL NO																																																																																																					
<table><tr><th>黒 BLACK</th><th>ナチュラル NATURAL</th><th colspan="2">HOUSING COLOR</th></tr><tr><td>213227 3431</td><td>213227 3430</td><td>34</td><td rowspan="14">213227 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)</td></tr><tr><td>213227 3231</td><td>213227 3230</td><td>32</td></tr><tr><td>213227 3031</td><td>213227 3030</td><td>30</td></tr><tr><td>213227 2831</td><td>213227 2830</td><td>28</td></tr><tr><td>213227 2631</td><td>213227 2630</td><td>26</td></tr><tr><td>213227 2431</td><td>213227 2430</td><td>24</td></tr><tr><td>213227 2231</td><td>213227 2230</td><td>22</td></tr><tr><td>213227 2031</td><td>213227 2030</td><td>20</td></tr><tr><td>213227 1831</td><td>213227 1830</td><td>18</td></tr><tr><td>213227 1631</td><td>213227 1630</td><td>16</td></tr><tr><td>213227 1431</td><td>213227 1430</td><td>14</td></tr><tr><td>213227 1231</td><td>213227 1230</td><td>12</td></tr><tr><td>213227 1031</td><td>213227 1030</td><td>10</td></tr><tr><td>213227 0831</td><td>213227 0830</td><td>8</td></tr><tr><td colspan="2">オーダー番号 ORDER No</td><td>極数 CKT</td><td>MODEL NO</td></tr></table>										黒 BLACK	ナチュラル NATURAL	HOUSING COLOR		213227 3431	213227 3430	34	213227 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)	213227 3231	213227 3230	32	213227 3031	213227 3030	30	213227 2831	213227 2830	28	213227 2631	213227 2630	26	213227 2431	213227 2430	24	213227 2231	213227 2230	22	213227 2031	213227 2030	20	213227 1831	213227 1830	18	213227 1631	213227 1630	16	213227 1431	213227 1430	14	213227 1231	213227 1230	12	213227 1031	213227 1030	10	213227 0831	213227 0830	8	オーダー番号 ORDER No		極数 CKT	MODEL NO																																												
黒 BLACK	ナチュラル NATURAL	HOUSING COLOR																																																																																																						
213227 3431	213227 3430	34	213227 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)																																																																																																					
213227 3231	213227 3230	32																																																																																																						
213227 3031	213227 3030	30																																																																																																						
213227 2831	213227 2830	28																																																																																																						
213227 2631	213227 2630	26																																																																																																						
213227 2431	213227 2430	24																																																																																																						
213227 2231	213227 2230	22																																																																																																						
213227 2031	213227 2030	20																																																																																																						
213227 1831	213227 1830	18																																																																																																						
213227 1631	213227 1630	16																																																																																																						
213227 1431	213227 1430	14																																																																																																						
213227 1231	213227 1230	12																																																																																																						
213227 1031	213227 1030	10																																																																																																						
213227 0831	213227 0830	8																																																																																																						
オーダー番号 ORDER No		極数 CKT	MODEL NO																																																																																																					
<table><tr><th>黒 BLACK</th><th>ナチュラル NATURAL</th><th colspan="2">HOUSING COLOR</th></tr><tr><td>213227 3471</td><td>213227 3470</td><td>34</td><td rowspan="14">213227 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN.)</td></tr><tr><td>213227 3271</td><td>213227 3270</td><td>32</td></tr><tr><td>213227 3071</td><td>213227 3070</td><td>30</td></tr><tr><td>213227 2871</td><td>213227 2870</td><td>28</td></tr><tr><td>213227 2671</td><td>213227 2670</td><td>26</td></tr><tr><td>213227 2471</td><td>213227 2470</td><td>24</td></tr><tr><td>213227 2271</td><td>213227 2270</td><td>22</td></tr><tr><td>213227 2071</td><td>213227 2070</td><td>20</td></tr><tr><td>213227 1871</td><td>213227 1870</td><td>18</td></tr><tr><td>213227 1671</td><td>213227 1670</td><td>16</td></tr><tr><td>213227 1471</td><td>213227 1470</td><td>14</td></tr><tr><td>213227 1271</td><td>213227 1270</td><td>12</td></tr><tr><td>213227 1071</td><td>213227 1070</td><td>10</td></tr><tr><td>213227 0871</td><td>213227 0870</td><td>8</td></tr><tr><td colspan="2">オーダー番号 ORDER No</td><td>極数 CKT</td><td>MODEL NO</td></tr></table>										黒 BLACK	ナチュラル NATURAL	HOUSING COLOR		213227 3471	213227 3470	34	213227 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN.)	213227 3271	213227 3270	32	213227 3071	213227 3070	30	213227 2871	213227 2870	28	213227 2671	213227 2670	26	213227 2471	213227 2470	24	213227 2271	213227 2270	22	213227 2071	213227 2070	20	213227 1871	213227 1870	18	213227 1671	213227 1670	16	213227 1471	213227 1470	14	213227 1271	213227 1270	12	213227 1071	213227 1070	10	213227 0871	213227 0870	8	オーダー番号 ORDER No		極数 CKT	MODEL NO																																												
黒 BLACK	ナチュラル NATURAL	HOUSING COLOR																																																																																																						
213227 3471	213227 3470	34	213227 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN.)																																																																																																					
213227 3271	213227 3270	32																																																																																																						
213227 3071	213227 3070	30																																																																																																						
213227 2871	213227 2870	28																																																																																																						
213227 2671	213227 2670	26																																																																																																						
213227 2471	213227 2470	24																																																																																																						
213227 2271	213227 2270	22																																																																																																						
213227 2071	213227 2070	20																																																																																																						
213227 1871	213227 1870	18																																																																																																						
213227 1671	213227 1670	16																																																																																																						
213227 1471	213227 1470	14																																																																																																						
213227 1271	213227 1270	12																																																																																																						
213227 1071	213227 1070	10																																																																																																						
213227 0871	213227 0870	8																																																																																																						
オーダー番号 ORDER No		極数 CKT	MODEL NO																																																																																																					
<table><tr><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="2">CURRENT REV DESC: REVISED</td><td colspan="2" rowspan="2"> molex </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="4" rowspan="5">EC NO: 645965 DRWN: HHUSSIN 2020/09/09 CHK'D: SAKIYAMA 2020/09/25 APPR: KOMURAKAMI 2020/09/28</td><td colspan="2" rowspan="2">CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING</td></tr><tr><td colspan="4">ANGULAR TOL ± 3.0 °</td></tr><tr><td colspan="2">4 PLACES ± 0.2</td><td colspan="6" rowspan="3">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="2">3 PLACES ± 0.2</td></tr><tr><td colspan="2">2 PLACES ± 0.2</td></tr><tr><td colspan="2">1 PLACE ± 0.2</td><td colspan="2"></td><td colspan="2">INITIAL REVISION: DRWN: MIKEDA01 2019/10/01 APPR: KOMURAKAMI 2019/11/20</td><td colspan="2">DOCUMENT NUMBER</td><td rowspan="2">2132270000-SD</td><td rowspan="2">PSD</td><td rowspan="2">000</td><td rowspan="2">C</td></tr><tr><td colspan="2">0 PLACES ± 0.2</td><td colspan="5"></td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td>A3-SIZE</td><td>213227</td><td>SEE CHART</td><td colspan="2">GENERAL</td><td colspan="2">6 OF 6</td></tr></table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex		mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 645965 DRWN: HHUSSIN 2020/09/09 CHK'D: SAKIYAMA 2020/09/25 APPR: KOMURAKAMI 2020/09/28				CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING		ANGULAR TOL ± 3.0 °				4 PLACES ± 0.2		PRODUCT CUSTOMER DRAWING						3 PLACES ± 0.2		2 PLACES ± 0.2		1 PLACE ± 0.2				INITIAL REVISION: DRWN: MIKEDA01 2019/10/01 APPR: KOMURAKAMI 2019/11/20		DOCUMENT NUMBER		2132270000-SD	PSD	000	C	0 PLACES ± 0.2							DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER								A3-SIZE	213227	SEE CHART	GENERAL		6 OF 6	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																								
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex																																																																																																
mm		NTS																																																																																																						
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 645965 DRWN: HHUSSIN 2020/09/09 CHK'D: SAKIYAMA 2020/09/25 APPR: KOMURAKAMI 2020/09/28				CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING																																																																																																
ANGULAR TOL ± 3.0 °																																																																																																								
4 PLACES ± 0.2		PRODUCT CUSTOMER DRAWING																																																																																																						
3 PLACES ± 0.2																																																																																																								
2 PLACES ± 0.2																																																																																																								
1 PLACE ± 0.2				INITIAL REVISION: DRWN: MIKEDA01 2019/10/01 APPR: KOMURAKAMI 2019/11/20		DOCUMENT NUMBER		2132270000-SD	PSD	000	C																																																																																													
0 PLACES ± 0.2																																																																																																								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER																																																																																													
						A3-SIZE	213227	SEE CHART	GENERAL		6 OF 6																																																																																													
<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2020/09/28</td><td>04:48:51</td></tr></table>										DOCUMENT STATUS	P1	RELEASE DATE	2020/09/28	04:48:51																																																																																										
DOCUMENT STATUS	P1	RELEASE DATE	2020/09/28	04:48:51																																																																																																				
	9	8	7	6	5	4	3	2	1																																																																																															