



引き出し方向
PULL OUT DIRECTION




DETAIL "D"


NOTES

- 梱包数量 : 300個 / リール
THE NUMBER OF PACKAGED CONNECTORS: 300 PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH.
- トップテープの剥離強度はIEC60286-3に準拠
COMPLY WITH IEC60286-3 FOR PEEL OFF STRENGTH OF TOP TAPE.
- 製品詳細寸法については、図面2011261001 000 PSDを参照してください。
FOR DIMENTIONS OF PRODUCT, REFER TO 2011261001 000 PSD.
- 材料 MATERIAL
キャリアテープ : ポリスチレン
CARRIER TAPE:POLYSTYRENE
トップテープ : ポリエチレンテレフタレート、ポリエチレン
TOP TAPE:POLYETHYLENE TEREHTHALATE,POLYETHYLENE
リール : ポリスチレン(リサイクル材を含む)
REEL:POLYSTYRENE(RECYCLE MATERIAL CONTAINED)

引き出し方向
PULL OUT DIRECTION




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex		
mm		2:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)				FAKRA JACK R/A EMBSTP PKG						
ANGULAR TOL		±	3.0 °							
4 PLACES		±	0.03							
3 PLACES		±	0.03							
2 PLACES		±	0.05							
1 PLACE		±	0.1	EC NO: 608977				PRODUCT CUSTOMER DRAWING		
0 PLACES		±	0.2	DRWN: NNAITO 2018/12/11						
CHK'D: YMIKI01 2018/12/13										
APPR: TOSADA 2018/12/14										
INITIAL REVISION:				DOCUMENT NUMBER						
1 PLACE		±	0.1	DRWN: YMIKI01 2015/12/16		2011260001		DOC TYPE	DOC PART	REVISION
0 PLACES		±	0.2	APPR: MSASAO 2016/08/22				PSD	000	E1
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		CUSTOMER		SHEET NUMBER
						A3-SIZE		GENERAL		1 OF 2
						SERIES				
						201126				



N	PASTEL GREEN	N/A	N/A
M	PASTEL ORANGE	2011261013	2011260013
L	CARMINE RED	2011261012	2011260012
Z	WATER BLUE	2011261011	2011260011
K	CURRY YELLOW	2011261010	2011260010
I	BEIGE	2011261009	2011260009
H	VIOLET	2011261008	2011260008
G	GRAY	N/A	N/A
F	BROWN	2011261006	2011260006
E	GREEN	2011261005	2011260005
D	BORDEAUX VIOLET	2011261004	2011260004
C	BLUE	2011261003	2011260003
B	CREAM WHITE	2011261002	2011260002
A	BLACK	2011261001	2011260001
KEYING CODE	COLOR	CONNECTOR MATERIAL NO.	EMBOSSED PACKAGE オーダー番号 ORDER NO.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: REVISED		molex			
DIMENSION UNITS mm		SCALE 2:1		FAKRA JACK R/A EMBSTP PKG			
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 608977		PRODUCT CUSTOMER DRAWING			
ANGULAR TOL ± 3.0 °		DRWN: NNAITO 2018/12/11		DOCUMENT NUMBER			
4 PLACES ± 0.03		CHK'D: YMIKI01 2018/12/13		2011260001			
3 PLACES ± 0.03		APPR: TOSADA 2018/12/14		DOC TYPE DOC PART REVISION			
2 PLACES ± 0.05		INITIAL REVISION:		PSD 000 E1			
1 PLACE ± 0.1		DRWN: YMIKI01 2015/12/16		MATERIAL NUMBER			
0 PLACES ± 0.2		APPR: MSASAO 2016/08/22		CUSTOMER			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		SHEET NUMBER			
		DRAWING A3-SIZE		GENERAL			
		SERIES 201126		2 OF 2			

DOCUMENT STATUS	P1	RELEASE DATE	2018/12/14	03:43:25
-----------------	----	--------------	------------	----------



注記 NOTE

1. 使用材料 MATERIAL


センターコンタクト : 黄銅
CENTER CONTACT : BRASS
インシュレータ : 液晶ポリマー ガラス充填、UL94V-0(黒色)
INSULATOR : LIQUID CRYSTAL POLYMER GLASS FILLED, UL94V-0(BLACK)
アウターコンタクト : リン青銅
OUTER CONTACT : PHOSPHOR BRONZE
シュラウド : ポリアミド (色はSHEET3参照)
SHROUD : POLYAMIDE GLASS FILLED (COLOR:SEE SHEET 3)


ネイルプレート : リン青銅
NAIL PLATE : PHOSPHOR BRONZE


2. メッキ仕様 PLATING

センターコンタクト CENTER CONTACT
接点部 : 部分金メッキ(0.05μm以上)
半田付け部 : 錫メッキ
下地メッキ : ニッケルメッキ
CONTACT AREA:SEPARATED GOLD PLATING (0.05 MICROMETER MINIMUM)
SOLDER AREA:TIN
UNDER-PLATING:NICKEL
アウターコンタクト OUTER CONTACT
接点部 : ニッケルメッキ
半田付け部 : 錫メッキ
下地メッキ : ニッケルメッキ
CONTACT AREA:NICKEL
SOLDER AREA:TIN
UNDER-PLATING:NICKEL
ネイルプレート NAIL PLATE
半田付け部 : 部分金メッキ
下地メッキ : ニッケルメッキ
SOLDER AREA:SEPARATED GOLD PLATING
UNDER-PLATING:NICKEL

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED			molex			
mm		5:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 608977 DRWN: NNAITO 2018/12/11 CHK'D: YMIKI01 2018/12/13 APPR: YMSADA 2018/12/14			FAKRA JACK R/A ASSY					
ANGULAR TOL ± 3.0 °										
4 PLACES ± 0.1										
3 PLACES ± 0.1										
2 PLACES ± 0.1										
1 PLACE ± 0.1		INITIAL REVISION: DRWN: YMIKI01 2015/12/16 APPR: MSASAO 2016/08/22			PRODUCT CUSTOMER DRAWING					
0 PLACES ± 0.2										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
				A3-SIZE	201126	2011261001		PSD	000	G1
						MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						SEE SHEET 3		GENERAL		1 OF 3



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex			
mm		5:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)				FAKRA JACK R/A ASSY							
ANGULAR TOL ± 3.0°											
4 PLACES		± 0.1									
3 PLACES		± 0.1									
2 PLACES		± 0.1		PRODUCT CUSTOMER DRAWING							
1 PLACE		± 0.1									
0 PLACES		± 0.2									
EC NO: 608977 DRWN: NNAITO 2018/12/11 CHK'D: YMIKI01 2018/12/13 APPR: TOSADA 2018/12/14				INITIAL REVISION: DRWN: YMIKI01 2015/12/16 APPR: MSASAO 2016/08/22		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
						2011261001		PSD	000	G1	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
				A3-SIZE		201126	SEE SHEET 3		GENERAL		2 OF 3



CODE-A

CODE-B

CODE-C

CODE-D

CODE-E

CODE-F

CODE-G

CODE-H

CODE-I

CODE-K

CODE-Z

CODE-L

CODE-M

CODE-N

N	PASTEL GREEN	N/A
M	PASTEL ORANGE	2011261013
L	CARMINE RED	2011261012
Z	WATER BLUE	2011261011
K	CURRY YELLOW	2011261010
I	BEIGE	2011261009
H	VIOLET	2011261008
G	GRAY	N/A
F	BROWN	2011261006
E	GREEN	2011261005
D	BORDEAUX VIOLET	2011261004
C	BLUE	2011261003
B	CREAM WHITE	2011261002
A	BLACK	2011261001
KEYING CODE	COLOR	MATERIAL No.

moLEX

FAKRA JACK R/A ASSY

PRODUCT CUSTOMER DRAWING

2011261001

PSD 000 G1