






NOTES




1. 梱包数量： 3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
2. リードテープ長さ
LEAD TAPE LENGTH
3. カバーテープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
4. 製品詳細寸法については、図面 5051101008-SD を参照下さい。
DIMENTIONS OF PRODUCT, REFER TO 5051101008-SD.
5. 材料 MATERIAL
キャリアテープ：ポリスチレン
トップテープ：ポリエチレンテレフタレート、ポリエチレン
リール：ポリスチレン<リサイクル材を含む>
CARRIER TAPE : POLYSTYRENE
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE
REEL : POLYSTYRENE < RECYCLE MATERIAL CONTAINED >

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex			
mm		2:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.5 FPC ZIF 2 CONT EMBT PKG						
ANGULAR TOL ± 3.0 °										
4 PLACES		± 0.2								
3 PLACES		± 0.2								
2 PLACES		± 0.2		PRODUCT CUSTOMER DRAWING						
1 PLACE		± 0.25								
0 PLACES		± 0.3		DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				5051100008-SD			PSD	000	A	
				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER
				A3-SIZE		505110	SEE CHART		1 OF 3	





 : PICK UP AREA



10.07	12.6	9	14.2	5051101997	19
9.57	12.1	8.5	13.7	5051101897	18
9.07	11.6	8	13.2	5051101797	17
8.57	11.1	7.5	12.7	5051101697	16
8.07	10.6	7	12.2	5051101597	15
7.57	10.1	6.5	11.7	5051101497	14
7.07	9.6	6	11.2	5051101397	13
6.57	9.1	5.5	10.7	5051101297	12
6.07	8.6	5	10.2	5051101197	11
5.57	8.1	4.5	9.7	5051101097	10
5.07	7.6	4	9.2	5051100997	9
4.57	7.1	3.5	8.7	5051100897	8
4.07	6.6	3	8.2	5051100797	7
3.57	6.1	2.5	7.7	5051100697	6
3.07	5.6	2	7.2	5051100597	5
2.57	5.1	1.5	6.7	5051100497	4
D	C	B	A	EMBOSSED PACKAGE オーダー番号 ORDER No.	Ckt

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex									
mm		8:1															
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.5 FPC ZIF 2 CONT HSG ASSY													
ANGULAR TOL ± 3.0 °																	
4 PLACES		± 0.2															
3 PLACES		± 0.2															
2 PLACES		± 0.2															
1 PLACE ± 0.25				PRODUCT CUSTOMER DRAWING													
0 PLACES ± 0.3																	
EC NO: 620381				DOCUMENT NUMBER						DOC TYPE		DOC PART		REVISION			
DRWN: JASANUMA 2019/07/10																	
CHK'D: YNAITO 2019/08/13				5051101008-SD						PSD		000		B			
APPR: RTAKEUCHI 2019/08/13																	
INITIAL REVISION:				MATERIAL NUMBER						CUSTOMER				SHEET NUMBER			
DRWN: JASANUMA 2018/10/05																	
APPR: RTAKEUCHI 2018/10/10				THIRD ANGLE PROJECTION						DRAWING		SERIES		A3-SIZE		505110	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																	
										A3-SIZE		505110		1 OF 4			

