







NOTES


1. 梱包数量：2000個 / リール
NUMBER OF CONNECTORS : 2000 PCS/REEL
2. リードテープ長さ
LEAD TAPE LENGTH



3. トップテープの剥離強度については、IEC60286-3に準拠。
TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3.
4. 製品詳細寸法については、図面781271001をご参照ください。
REFER TO THE 781271001 ABOUT DIMENSIONS IN DETAIL.
5. 材料
キャリアテープ：ポリスチレン(PS)
トップテープ：PET,OTHER
リール：ポリスチレン(PS)(リサイクル材を含む)
- MATERIAL
CARRIER TAPE：POLYSTYRENE(PS)
TOP TAPE：PET,OTHER
REEL：POLYSTYRENE(PS) (RECYCLE MATERIAL CONTAINED)
6. 環境負荷物質の管理のため「化学物質ガイドライン(MCSS)」の内容を満足すること。
"MOLEX CHEMICAL SUBSTANCES SPECIFICATION (MCSS)" SHALL BE APPLIED FOR
MANAGEMENT OF ENVIRONMENTAL HAZARDOUS MATERIALS.

CONNECTOR SERIES NO. 78127**15

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE	CURRENT REV DESC: EC NO: 681464 DRWN: RAJMOK 2021/10/13 CHK'D: TKON 2021/10/18 APPR: SHOSHIKAWA 2021/10/18 INITIAL REVISION: DRWN: NASANUMA 2016/06/27 APPR: KMORIKAWA 2016/08/02				molex 0.5 FPC CONN. N-ZIF ST SB EMBS TP PKG			
mm		2:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)										
ANGULAR TOL ± 1.0 °										
4 PLACES		± 0.1								
3 PLACES		± 0.1	PRODUCT CUSTOMER DRAWING							
2 PLACES		± 0.1								
1 PLACE		± 0.1	DOCUMENT NUMBER				DOC TYPE	DOC PART	REVISION	
0 PLACES		± 0.1	781270001				PSD	000	B	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
			A3-SIZE		78127	SEE TABLE				1 OF 3



ELV&RoHS COMPLINT

引き出し方向
PULL OUT DIRECTION

CONNECTOR
(78119-**15)

ポケット中心
POCKET OF CENTER

TOP TAPE

SECTION F-F

SECTION G-G

16mm, 24mm幅キャリアテープ
16mm, 24mm WIDTH CARRIER TAPE


24	11.5	14.1	15.8	29.4	25.4	781272810	28
		13.6	15.3			781272710	27
		13.1	14.8			781272610	26
		12.6	14.3			781272510	25
		12.1	13.8			781272410	24
		11.6	13.3			781272310	23
		11.1	12.8			781272210	22
		10.6	12.3			781272110	21
		10.1	11.8			781272010	20
		9.6	11.3			781271910	19
		9.1	10.8			781271810	18
		8.6	10.3			781271710	17
		8.1	9.8			781271610	16
		7.6	9.3			781271510	15
16	7.5	7.1	8.8	21.4	17.4	781271410	14
		6.6	8.3			781271310	13
		6.1	7.8			781271210	12
		5.6	7.3			781271110	11
		5.1	6.8			781271010	10
		4.6	6.3			781270910	9
		4.1	5.8			781270810	8
		3.6	5.3			781270710	7
		3.1	4.8			781270610	6
F TAPE WIDTH	E	D	C	B	A	EMBOSSED PACKAGE	CIRCUIT
						オーダー番号 ORDER NO	


CONNECTOR SERIES NO. 78127**15

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex											
mm		4:1																
GENERAL TOLERANCES (UNLESS SPECIFIED)							0.5 FPC CONN. N-ZIF ST SB EMBS TP PKG											
ANGULAR TOL ± 1.0 °							PRODUCT CUSTOMER DRAWING											
4 PLACES ± 0.1							DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION						
3 PLACES ± 0.1				EC NO: 681464			781270001			PSD	000	B						
2 PLACES ± 0.1				DRWN: RAJMOK 2021/10/13														
1 PLACE ± 0.1				CHK'D: TKON 2021/10/18														
0 PLACES ± 0.1				APPR: SHOSHIKAWA 2021/10/18			INITIAL REVISION:			DOC TYPE	DOC PART	REVISION						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: NASANUMA 2016/06/27			781270001			PSD	000	B						
				APPR: KMORIKAWA 2016/08/02			DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION						
				THIRD ANGLE PROJECTION			DRAWING			SHEET NUMBER								
				A3-SIZE			SERIES			MATERIAL NUMBER			CUSTOMER			SHEET NUMBER		
							78127			SEE TABLE						2 OF 3		

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/18	12:24:52
-----------------	----	--------------	------------	----------

FORMAT: master-b-prod-A3
REVISION: J1
DATE: 2021/05/01





9

8

7

6

5

4

3

2

1

ELV & RoHS COMPLIANT

17	17	18.6	17.5	19.6	781273610	36
16	17	18.1	17	19.1	781273510	35
16	16	17.6	16.5	18.6	781273410	34
15	16	17.1	16	18.1	781273310	33
15	15	16.6	15.5	17.6	781273210	32
14	15	16.1	15	17.1	781273110	31
14	14	15.6	14.5	16.6	781273010	30
13	14	15.1	14	16.1	781272910	29
13	13	14.6	13.5	15.6	781272810	28
12	13	14.1	13	15.1	781272710	27
12	12	13.6	12.5	14.6	781272610	26
11	12	13.1	12	14.1	781272510	25
11	11	12.6	11.5	13.6	781272410	24
10	11	12.1	11	13.1	781272310	23
10	10	11.6	10.5	12.6	781272210	22
9	10	11.1	10	12.1	781272110	21
9	9	10.6	9.5	11.6	781272010	20
8	9	10.1	9	11.1	781271910	19
8	8	9.6	8.5	10.6	781271810	18
7	8	9.1	8	10.1	781271710	17
7	7	8.6	7.5	9.6	781271610	16
6	7	8.1	7	9.1	781271510	15
6	6	7.6	6.5	8.6	781271410	14
5	6	7.1	6	8.1	781271310	13
5	5	6.6	5.5	7.6	781271210	12
4	5	6.1	5	7.1	781271110	11
4	4	5.6	4.5	6.6	781271010	10
3	4	5.1	4	6.1	781270910	9
3	3	4.6	3.5	5.6	781270810	8
2	3	4.1	3	5.1	781270710	7
2	2	3.6	2.5	4.6	781270610	6
E	D	C	B	A	EMBOSSED PACKAGE オーダー番号 ORDER NO.	CIRCUIT

17

16

16

15

15

14

14

13

13

12

12

11

11

10

10

9

9

8

8

7

7

6

6

5

5

4

4

3

3

2

2

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

18.6

18.1

17.6

17.1

16.6

16.1

15.6

15.1

14.6

14.1

13.6

13.1

12.6

12.1

11.6

11.1

10.6

10.1

9.6

9.1

8.6

8.1

7.6

7.1

6.6

6.1

5.6

5.1

4.6

4.1

3.6

17.5

17

16.5

16

15.5

15

14.5

14

13.5

13

12.5

12

11.5

11

10.5

10

9.5

9

8.5

8

7.5

7

6.5

6

5.5

5

4.5

4

3.5

3

2.5

19.6

19.1

18.6

18.1

17.6

17.1

16.6

16.1

15.6

15.1

14.6

14.1

13.6

13.1

12.6

12.1

11.6

11.1

10.6

10.1

9.6

9.1

8.6

8.1

7.6

7.1

6.6

6.1

5.6

5.1

4.6

781273610

781273510

781273410

781273310

781273210

781273110

781273010

781272910

781272810

781272710

781272610

781272510

781272410

781272310

781272210

781272110

781272010

781271910

781271810

781271710

781271610

781271510

781271410

781271310

781271210

781271110

781271010

781270910

781270810

781270710

781270610

36

35

34

33

32

31

30

29

28

27

26

25

24

23

22

21

20

19

18

17

16

15

14

13

12

11

10

9

8

7

6

4.0 ±0.1

1.6 ±0.1

1.6 ±0.1

0.4 ±0.05

0.5 ±0.05

B ±0.05

推奨基板レイアウト

RECOMMENDED PCB LAYOUT

参考マスク厚:100μm

参考開口率:100%

REFERENCE SCREEN THICKNESS:100

REFERENCE SCREEN OPEN RATIO:100%

CONNECTOR SERIES NO. 78127**15

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 107065

DRWN: NASANUMA

CHK'D: YKOBAYASHI02

REV APPR: KMORIKAWA

2016/01/12

2016/08/01

2016/08/02

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 0.5 °

4 PLACES ± 0.01

3 PLACES ± 0.01

2 PLACES ± 0.02

1 PLACE ± 0.05

0 PLACES ± 0.05

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS

MM

SCALE

12:1

DRWN BY

NASANUMA

DATE

2016/01/12

CHK'D BY

YKOBAYASHI02

DATE

2016/08/01

APPR BY

KMORIKAWA

DATE

2016/08/02

DRAWING SIZE

A3

THIRD ANGLE PROJECTION

PRODUCT CUSTOMER DRAWING

SERIES

78127

MATERIAL NUMBER

781271001

CUSTOMER

DOCUMENT NUMBER

781271001

DOC TYPE

PSD

DOC PART

000

SHEET NUMBER

3 OF 3

0.5 PITCH NON-ZIF CONN. SMT ST ASSY

RELEASE STATUS

P1

RELEASE DATE

02.08.2016

00:40:36

9

8

7

6

5

4

3

2

1