






NOTES

- 10. 梱包数量:800個/リール
NUMBER OF CONNECTORS : 800 PIECES/REEL
- 11. リードテープ長さ
LEAD TAPE LENGTH



- 12. トップテープの剥離強度はIEC60286-3に準拠。
TOP TAPE PEELING FORCE IS DEFINED BY IEC60286-3.
- 13. 梱包仕様書 : SPK-501571-001
PACKAGE SPECIFICATION:
- 14. 発注番号 : SHEET 5 参照
ORDER No. : PLEASE REFER TO SHEET 5 FOR PRODUCT LIST.




501571


** * *

極数 CIRCUIT SIZE	ハウジングカラー HOUSING COLOR	製品識別番号 IDENTIFICATION NUMBER
	0:NATURAL(BEIGE)	7:EMBOSSED PACKAGE

45.5	50
	40
33.5	30
25.5	20
D	極数 CIRCUIT SIZE

番号 NO.	部品 PART	材質 MATERIAL
⑤	リール REEL	ポリスチレン(PS) <リサイクル材を含む> POLYSTYRENE(PS) <RECYCLE MATERIAL CONTAINED>
DOCUMENT STATUS P1 RELEASE DATE 2019/04/03 09:49:00		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex PICO-CLASP 1.0 W/B DUAL ROW RA SMT GOLD PLATING 0.1 MICRO-METER						
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL		± 3.0 °		EC NO: 614725			PRODUCT CUSTOMER DRAWING						
4 PLACES		± 0.2		DRWN: AISHIKAWA 2019/03/20									
3 PLACES		± 0.2		CHK'D: AIDA 2019/04/03									
2 PLACES		± 0.2		APPR: KOMURAKAMI 2019/04/03									
1 PLACE		± 0.2		INITIAL REVISION:									
0 PLACES		± 0.2		DRWN: AISHIKAWA 2019/03/20			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				APPR: KOMURAKAMI 2019/04/03			5015710000-SD		PSD	000	A		
				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE	501571	SEE SHEET 5				3 OF 5	



44mm幅テープ
TAPE WIDTH:44mm

32mm幅テープ
TAPE WIDTH:32mm

24mm幅テープ
TAPE WIDTH:24mm

⑦ TOP TAPE

CONNECTOR


⑥ CARRIER TAPE

SECTION Y-Y


(2.0) エンボスポケット中心位置
CENTER OF EMBOSSED POCKET

累積ピッチ : 40 ±0.2
ACUUMLATIVE PITCH:

引き出し方向
PULL OUT DIRECTION



DETAIL W
SCALE 10:1



SECTION X-X

28.3	20.2	40.4	44.0	50
23.3				40
18.3	14.2	28.4	32.0	30
13.3	11.5	-	24.0	20
G	コネクタ中心位置 F CENTER OF CONNECTOR		E	エンボステープ幅 D WIDTH OF TAPE
				極数 CIRCUIT SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:			molex			
DIMENSION UNITS		SCALE		GENERAL TOLERANCES (UNLESS SPECIFIED)		PICO-CLASP 1.0 W/B DUAL ROW RA SMT GOLD PLATING 0.1 MICRO-METER		
mm		NTS		ANGULAR TOL ± 3.0 °		PRODUCT CUSTOMER DRAWING		
4 PLACES ± 0.2		3 PLACES ± 0.2		2 PLACES ± 0.2		DOCUMENT NUMBER		
1 PLACE ± 0.2		0 PLACES ± 0.2		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		5015710000-SD		
THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		
A3-SIZE		501571		CUSTOMER		SEE SHEET 5		
EC NO: 614725		DRWN: AISHIKAWA		CHK'D: AIDA		REVISION		
2019/03/20		2019/04/03		2019/04/03		A		
INITIAL REVISION:		DRWN: AISHIKAWA		APPR: KOMURAKAMI		SHEET NUMBER		
2019/03/20		2019/04/03				4 OF 5		

番号 NO.	部品 PART	材質 MATERIAL
⑥	キャリアテープ CARRIER TAPE	ポリプロピレン(PP)、その他 POLYPROPYLEN(PP), etc
⑦	トップテープ TOP TAPE	ポリエチレン(PE)、その他 POLYETHYLENE(PE), etc

DOCUMENT STATUS	P1	RELEASE DATE	2019/04/03	09:49:00
-----------------	----	--------------	------------	----------

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL ± 3.0 °

4 PLACES ± 0.2

3 PLACES ± 0.2


2 PLACES ± 0.2

1 PLACE ± 0.2

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION



CURRENT REV DESC:

EC NO: 614725

DRWN: AISHIKAWA 2019/03/20

CHK'D: AIDA 2019/04/03

APPR: KOMURAKAMI 2019/04/03

INITIAL REVISION:

DRWN: AISHIKAWA 2019/03/20

APPR: KOMURAKAMI 2019/04/03

molex

PICO-CLASP 1.0 W/B

DUAL ROW RA SMT GOLD PLATING

0.1 MICRO-METER

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

5015710000-SD

DOC TYPE

PSD

DOC PART

000

REVISION

A

MATERIAL NUMBER

CUSTOMER

SEE SHEET 5

SHEET NUMBER

5 OF 5

14

製品一覧 PRODUCT LIST

HOUSING COLOR	
NATURAL(BEIGE)	
501571 5007	50
501571 4007	40
501571 3007	30
501571 2007	20
発注番号 ORDER No.	
梱包形態：エンボスリール PACKAGE:EMBOSSED REEL	極数 CIRCUIT SIZE