




製品形状
PRODUCT SHAPE




8-14極
8-14 CIRCUIT




16-24極
16-24 CIRCUIT




26-32極
26-32 CIRCUIT




34-40極
34-40 CIRCUIT



42極
42 CIRCUIT



嵌合状態図
MATED CONNECTORS



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 620885 DRWN: TAKAIKE2019/06/17 CHK'D: SAKIYAMA2019/07/19 APPR: KOMURAKAMI2019/07/31			MICRO-LOCK PLUS 1.25 W/B DUAL ROW VERTICAL SMT PLUG ASSEMBLY				
ANGULAR TOL ± 3.0 °											
4 PLACES ± 0.2											
3 PLACES ± 0.2											
2 PLACES ± 0.2											
INITIAL REVISION:				2016/12/26 2016/12/28			PRODUCT CUSTOMER DRAWING				
1 PLACE ± 0.2											
0 PLACES ± 0.2											
DRWN: TAKAIKE				DOCUMENT NUMBER			DOC TYPE		DOC PART	REVISION	
APPR: TKANEKO				5054330000			PSD		000	C	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		505433		CUSTOMER	
								SEE SHEET4		GENERAL	
										SHEET NUMBER	
										2 OF 4	



1



1



5

DOCUMENT STATUS	P1	RELEASE DATE	2019/07/31	10:52:36
-----------------	----	--------------	------------	----------

