







NOTES


1. RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
2. NUMBER OF CONNECTORS : 8000 PCS/REEL.
3. LEAD TAPE LENGTH.



4. TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3
5. MATERIAL
CARRER TAPE :POLYSTYRENE
TOP TAPE :PET , OTHER
REEL :POLYSTYRENE(PS)(RECYCLE MATERIAL CONTAINED)

MODEL NO. 505066-**22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex 0.35 BB CONN. H=0.6 SSB6 RP REC ASSY								
mm		1:5													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 685448 DRWN: YSEKI01 2021/11/15 CHK'D: TNISHIDA02 2021/11/16 APPR: YNAITO 2021/11/16 INITIAL REVISION: DRWN: TNISHIDA02 2017/03/28 APPR: TKUSUHARA01 2017/04/03			PRODUCT CUSTOMER DRAWING								
ANGULAR TOL ± 1.0 °															
4 PLACES ± 0.01							DOCUMENT NUMBER			DOC TYPE		DOC PART		REVISION	
3 PLACES ± 0.03															
2 PLACES ± 0.05							5050660000			PSD		008		D	
1 PLACE ± 0.1															
0 PLACES ± 0.2				MATERIAL NUMBER			CUSTOMER			SHEET NUMBER					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS															
THIRD ANGLE PROJECTION 				DRAWING A3-SIZE		SERIES 505066		GENERAL			1 OF 3				



16	21.4	17.4	7.82	505066-3022	○	---	30
			6.42	505066-2222	○	---	22
			6.07	505066-2022	○	---	20
			5.72	505066-1822	---	---	18
			5.37	505066-1622	○	---	16
			5.02	505066-1422	○	---	14
			4.67	505066-1222	○	---	12
			4.32	505066-1022	○	---	10
			3.97	505066-0822	○	---	8
			3.62	505066-0622	○	---	6
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	MATERIAL No.	HIGH VOL. TOOL	LOW VOL. TOOL	CIRCUIT
					SAMPLE PREPARATION		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE
mm	2:1
GENERAL TOLERANCES (UNLESS SPECIFIED)	
ANGULAR TOL	± 1.0 °
4 PLACES	± 0.01
3 PLACES	± 0.03
2 PLACES	± 0.05
1 PLACE	± 0.1
0 PLACES	± 0.2
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

CURRENT REV DESC:

EC NO: 685448
DRWN: YSEKI01
CHK'D: TNISHIDA02
APPR: YNAITO

INITIAL REVISION:
DRWN: TNISHIDA02
APPR: TKUSUHARA01

2021/11/15
2021/11/16
2021/11/16

molex

0.35 BB CONN. H=0.6 SSB6 RP REC ASSY

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER
5050660000

DOC TYPE
PSD

DOC PART
008

REVISION
D

THIRD ANGLE PROJECTION


DRAWING
A3-SIZE

SERIES
505066

MATERIAL NUMBER


CUSTOMER
GENERAL

SHEET NUMBER
2 OF 3



SECTION Y-Y

24	29.4	25.4	13.77	505066-6422	---	---	64
			13.07	505066-6022	---	---	60
			12.02	505066-5422	○	---	54
			11.32	505066-5022	○	---	50
			10.99	505066-4822	○	---	48
			10.62	505066-4622	---	---	46
			9.92	505066-4222	○	---	42
			9.57	505066-4022	○	---	40
			8.52	505066-3422	○	---	34
			8.17	505066-3222	---	---	32
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	MATERIAL No.	HIGH VOL TOOL	LOW VOL TOOL	CIRCUIT
				SAMPLE PREPARATION			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex					
mm		2:1									
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 1.0 ° 4 PLACES ± 0.01 3 PLACES ± 0.03 2 PLACES ± 0.05 1 PLACE ± 0.1 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 685448		0.35 BB CONN. H=0.6 SSB6 RP REC ASSY					
				DRWN: YSEKI01						2021/11/15	
				CHK'D: TNISHIDA02						2021/11/16	
				APPR: YNAITO						2021/11/16	
				INITIAL REVISION:		PRODUCT CUSTOMER DRAWING					
				DRWN: TNISHIDA02		2017/03/28		DOCUMENT NUMBER		DOC TYPE	
APPR: TKUSUHARA01		2017/04/03		5050660000		PSD		008		D	
THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
		A3-SIZE		505066				GENERAL		3 OF 3	

DOCUMENT STATUS	P1	RELEASE DATE	2021/11/16	08:09:55
-----------------	----	--------------	------------	----------

