






DETAIL B

NOTES

- 製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS,PLEASE SEE THE DRAWING OF CONNECTOR ITSELF(NOT PACKAGED).
- 梱包数量：1 3 0 0 個 / リール
NUMBER OF CONNECTORS：1300PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH



4.材料

MATERIAL

キャリアテープ：ポリスチレン(PS)

CARRIER TAPE：POLYSTYRENE


トップテープ：ポリエステル(PET)、その他

TOP TAPE:POLYESTER(PET),OTHER


リール：ポリスチレン(PS)<リサイクル材を含む>

REEL：POLYSTYRENE 〈RECYCLE MATERIAL CONTAINED〉

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 168346 DRWN: KYAMADA02 CHK'D: SAKIYAMA APPR: TKANEKO	2017/11/27	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®						
	2017/11/30		mm	NTS									
	2017/12/01		DRWN BY		DATE								
				ANGULAR TOL ± 3.0 °	KYAMADA02		2017/11/27		PICO-CLASP 1.0W/B SINGLE-ROW R/A OUTER LOCK EMBSTP PKG(GOLD VERSION 0.1)				
			4 PLACES	± 0.2	CHK'D BY		DATE						
			3 PLACES	± 0.2	SAKIYAMA		2017/11/30						
			2 PLACES	± 0.2	APPR BY		DATE		PRODUCT CUSTOMER DRAWING				
			1 PLACE	± 0.2	TKANEKO		2017/12/01						
			0 PLACES	± 0.2	DRAWING SIZE		THIRD ANGLE PROJECTION						
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	A3			SERIES		MATERIAL NUMBER		CUSTOMER	
						501953	SEE CHART		GENERAL				
						DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER			
						5019530305-SD		PSD	000	1 OF 2			

16幅テープ
16 WIDTH TAPE




CONNECTOR

TOP TAPE

EMBOSSSED TAPE

SECT. Y-Y








SECT. X-X

7.3	5019530505	5
6.3	5019530405	4
5.3	5019530305	3
(A)	EMBOSSSED PACKAGE	極数 CIRCUITS
	オーダー番号 ORDER NO.	
CONNECTOR SERIES NO. 501953**06		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 168346 DRWN: KYAMADA02 CHK'D: SAKIYAMA APPR: TKANEKO	2017/11/27 2017/11/30 2017/12/01	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® PICO-CLASP 1.0W/B SINGLE-ROW R/A OUTER LOCK EMBSTP PKG(GOLD VERSION 0.1)			
				mm		NTS					
				DRWN BY		DATE					
				KYAMADA02		2017/11/27		PRODUCT CUSTOMER DRAWING			
				CHK'D BY		DATE					
				SAKIYAMA		2017/11/30					
		APPR BY		DATE		SERIES MATERIAL NUMBER CUSTOMER					
		TKANEKO		2017/12/01							
		DRAWING SIZE		THIRD ANGLE PROJECTION		501953 SEE CHART GENERAL					
		A3									
A	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER	
						5019530305-SD		PSD	000	2 OF 2	

RELEASE STATUS	P1	RELEASE DATE	01.12.2017	05:25:28
----------------	----	--------------	------------	----------



501939**00
501939**3*

嵌合寸法 (参考)
MATED DIMENSION (REF.)

NOTES.
1.嵌合相手 : 501939****
MATE WITH :501939****
2.ソルダーピン及びネイル平坦度は、0.1MAX.
SOLDER PIN AND NAIL COPLANARITY TO BE 0.1MAX.
③ 極数 = 偶数に適用
APPLY FOR CKT SIZE=EVEN

4.0	5.2	7.0	5019530505	5
3.0		6.0	5019530405	4
2.0		5.0	5019530305	3
C	B	A	EMBOSSED PACKAGE オーダー番号 ORDER NO.	極数 CIRCUITS
CONNECTOR SERIES NO. 501953**06				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 168346
DRWN: KYAMADA02
CHK'D: SAKIYAMA
APPR: TKANEKO

2017/11/27
2017/11/30
2017/12/01

REV

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 3.0 °

4 PLACES ± 0.2

3 PLACES ± 0.2

2 PLACES ± 0.2

1 PLACE ± 0.2

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS

mm

DRWN BY

KYAMADA02

CHK'D BY

SAKIYAMA

APPR BY

TKANEKO

DRAWING SIZE

A3

SCALE

10:1

DATE

2017/11/27

DATE

2017/11/30

DATE

2017/12/01

THIRD ANGLE PROJECTION

molex®

PICO-CLASP 1.0W/B SINGLE-ROW RA
OUTER LOCK WAFER ASSY(GOLD VERSION 0.1)

PRODUCT CUSTOMER DRAWING

SERIES

501953

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL

DOCUMENT NUMBER

5019530306-SD

DOC TYPE

PSD

DOC PART

000

SHEET NUMBER

1 OF 1