#### SPECIFICATIONS:

ELECTRICAL:

INSLUATOR RESISTANCE:  $5 G\Omega MIN.$  WORKING VOLTAGE: 250V

OPERATING TEMPERATURE:  $-55^{\circ}$ C TO  $+125^{\circ}$ C POWER CONTACT RESISTANCE:  $1.0 \text{ m}\Omega$  MAX. SIGNAL CONTACT RESISTANCE:  $10 \text{ m}\Omega$  MAX. POWER CONTACT AMPERAGE: SEE P/N KEY

SIGNAL CONTACT AMPERAGE: 5 AMPS

SEE P/IN NE

MECHANICAL:

CONTACT INSERTION FORCE: 4.5 Kg MAX. CONTACT SEPARATION FORCE: 0.3 Kg MIN.


MATERIALS:


CONTACTS: COPPER ALLOY, GOLD FLASH

INSULATOR: PBT UL94V-0 RATED

230°C PROCESS TEMP.

SHELL: NICKEL PLATED STEEL
BRACKET: NICKEL PLATED STEEL
BOARD LOCK: NICKEL PLATED BRASS





SEE SHEET 2 FOR CONTACT DIMENSION DETAILS

# 681M17W2103LYYY

0 = 40 AMP POWER // STANDARD PCB TAILS

1 = 40 AMP POWER // 2.22mm PCB TAILS 2 = 20 AMP POWER // STANDARD PCB TAILS

0 = NO HARDWARE -

1 = 0.098" CN PCB SIDE

2 = 0,236" CN PCB SIDE

3 = 0,236" CN MATING SIDE

4 = 0.237" BOARDLOCK PCB SIDE

5 = 0.224" BOARDLOCK PCB SIDE

1 = GOLD FLASH

# RoHS COMPLIANT



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NOrComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN:
M. SIGMON

DATE:
07/18/2013

UNITS = inches [mm]

DO NOT SCALE FROM DRAWING





CALE:	SHEE
NTS	
JWG NO	

681M17W2103LYYY

OF

REV





## RoHS COMPLIANT

**M** 

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NOrComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN:
M. SIGMON

DATE:
07/18/2013

UNITS = inches [mm]

## DO NOT SCALE FROM DRAWING

NorComp


SCALE:	SHEET	OF		REV
NTS	2		3	3
DWG NO.	 681M1	7W2	2103LYY\	 {


#### TOLERANCE:


ALL DIMENSIONS ARE ±0.010


### ALL CLINCH-NUTS ARE 4-40 INTERNAL THREADS















#### 6 ..... 0.224" PCB SIDE/JACKSCREW







THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN:
M. SIGMON

DATE:
07/18/2013

UNITS = inches [mm]	NOT SC	ALE FR	om dra	WING
NorComn	SCALE:	SHEET 3	OF 3	REV 3
NorComp	DWG NO. 681M17W2103LYYY			